



Tank is designed with NPT fittings and fabricated in accordance with the latest edition and addenda of the ASME Code Section VIII Division 1. and also per pamphlet NFPA-58.

**Custom Sizes,
 Fittings and
 application
 designs
 available!**

All Tanks are blasted and have a two coat paint system.

**Skid packages
 are available**



Water Gallon Capacity
 MDMT →

		12,000	18,000	30,000	30,000	45,000	60,000	90,000
		-12° F.	+2° F.	+2° F.	+13° F.	+13° F.	+13° F.	+13° F.
Service Item:	Size	84" OD	108" ID	108" ID	130" ID	130" ID	130" ID	130" ID
C1 - Vapor w/Stand Pipe	2"-3000#	✓	✓	✓	✓	✓	✓	✓
C2 - Liquid	2"-3000#	✓	✓	✓	✓	✓	✓	✓
C3 - Liquid	3"-3000#	✓	✓	✓	✓	✓	✓	✓
C4 - Thermowell-1/2"x6"	1/2"-3000#	✓	✓	✓	✓	✓	✓	✓
C5 - Float/Rotary Gauge	2.5"-3000#	✓	✓	✓	✓	✓	✓	✓
C6 - Combo Valve Out/Pressure	3/4"-6000#	✓	✓	✓	✓	✓	✓	✓
C7 - Inspection	1"-3000#	✓	✓	✓	✓	✓	✓	✓
C8 - Relief Valve	2"-3000#	✓	✓	✓	✓	✓	✓	✓
C9 - Relief Valve	2"-3000#	✓	✓	✓	✓	✓	✓	✓
C10 - Relief Valve	2"-3000#		✓	✓	✓	✓	✓	✓
C11 - Relief Valve	2"-3000#					✓	✓	✓
C12 - Relief Valve	2"-3000#						✓	✓
C13 - Relief Valve	2"-3000#							✓
C14 - Relief Valve	2"-3000#							✓
Overall length:		45' 2"	41' 1"	66' 4"	47' 5"	69' 2"	91' 0"	134' 5"
Seam to Seam Dimensions:		458.0 in.	384.0 in.	687.0 in.	438.5 in.	699.0 in.	960.5 in.	1482.5 in.
Approx. shipping wt. w/saddles:		18,000 LBS	26,900 LBS	49,450 LBS	44,400 LBS	67,800 LBS	89,200 LBS	133,700 LBS
Shipping (W X H) Dimensions: (feet)		7.60 x 7.0	9.65 x 9.07	9.65 x 9.07	10.96 x 11.63	10.96 x 11.63	10.96 x 11.63	10.96 x 11.63

DESIGN - DATA :

Design Pressure (psi) = 250
Design Temperature (deg. F) = 125°
Corrosion Allowance (in.) = 0
Radiography = RT-4
Hydro-test Pressure (psi) = 325